IN THE CLAIMS:

- 1. (Original) A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum at a concentration that is no greater than 60 atomic percent, titanium, and tungsten.
- 2. (Original) A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum, titanium at a concentration of at least 20 atomic percent, and tungsten.
- 3. (Original) A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum, titanium, and tungsten, wherein the concentration of tungsten is at least 25 atomic percent.
- 4. (Currently Amended) The catalyst of any one of claims 1-3 <u>claim 1</u> wherein the concentration of platinum is no greater than about 50 atomic percent.
- 5. (Currently Amended) The catalyst of any one of claims 1-4 <u>claim 1</u> wherein the titanium is at a concentration that is no greater than about 80 atomic percent.
- 6. (Currently Amended) The catalyst of any one of claims 1-5 <u>claim 1</u> wherein the tungsten is at a concentration that is no greater than about 80 atomic percent.
- 7. (Currently Amended) The catalyst of any one of claims 1, 2, 5 or 6 claim 1 wherein the platinum is at a concentration is between about 5 and 60 atomic percent, the titanium is at a concentration that is no greater than about 80 atomic percent, and the tungsten is at a concentration that is between about 10 and about 80 atomic percent.

- 8. (Currently Amended) The catalyst of any one of claims 1, 4, 5 or 6 claim 1 wherein the platinum is at a concentration that is between about 10 and about 50 atomic percent, the titanium is at a concentration that is between about 1 and about 55 atomic percent, and the tungsten is at a concentration that is between about 20 and about 60 atomic percent.
- 9. (Currently Amended) The catalyst of any one of claims 1, 3, 4, 5 or 6 claim 1 wherein the platinum is at a concentration that is between about 20 and about 45 atomic percent, the titanium is at a concentration that is between about 5 and about 40 atomic percent, and the tungsten is at a concentration that is between about 30 and about 55 atomic percent.
- 10. (Currently Amended) The catalyst of any one of claims 1, 3, 4, 5 or 6 claim 1 wherein the platinum is at a concentration that is between about 30 and about 50 atomic percent, the titanium is at a concentration that is no greater than about 20 atomic percent, and the tungsten is at a concentration that is between about 40 and about 60 atomic percent.
- 11. (Currently Amended) The catalyst of any one of claims 1, 3, 4, 5 or 6 claim 1 wherein the platinum is at a concentration that is between about 35 and about 45 atomic percent, the titanium is at a concentration that is between about 5 and about 15 atomic percent, and the tungsten is at a concentration that is between about 45 and about 55 atomic percent.
- 12. (Currently Amended) The catalyst of any one of claims 1, 2, 3, 4, 5 or 6 claim 1 wherein the platinum is at a concentration that is between about 20 and about 40 atomic percent, the titanium is at a concentration that is between about 25 and about 45 atomic percent, and the tungsten is at a concentration that is between about 30 and about 50 atomic percent.

- 13. (Currently Amended) The catalyst of any one of claims 1, 2, 3, 4, 5 or 6 claim 1 wherein the platinum is at a concentration that is between about 25 and about 35 atomic percent, the titanium is at a concentration that is between about 30 and about 40 atomic percent, and the tungsten is at a concentration that is between about 35 and about 45 atomic percent.
- 14. (Currently Amended) The catalyst of any one of claims 1, 2, 4, 5 or 6 claim 1 wherein the platinum is at a concentration is between about 10 and about 50 atomic percent, the titanium is at a concentration is between about 30 and about 80 atomic percent, and the tungsten is at a concentration of is less than about 25 atomic percent.
- 15. (Currently Amended) The catalyst of any one of claims 1, 2, 4, 5 or 6 claim 1 wherein the platinum is at a concentration is between about 15 and about 45 atomic percent, the titanium is at a concentration is between about 40 and about 75 atomic percent, and the tungsten is at a concentration is between about 5 and about 20 atomic percent.
- 16. (Currently Amended) The catalyst of any one of claims 1, 2, 4, 5 or 6 claim 1 wherein the platinum is at a concentration is between about 20 and about 40 atomic percent, the titanium is at a concentration is between about 50 and about 65 atomic percent, and the tungsten is at a concentration of is between about 5 and about 15 atomic percent.
- 17. (Original) A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum, titanium at a concentration that is between about 2 and about 12 atomic percent, and tungsten.
- 18. (Original) A catalyst for use in oxidation or reduction reactions, the catalyst comprising platinum, titanium, and tungsten at a concentration that is between about 2 and about 12 atomic percent.

- 19. (Currently Amended) The catalyst of claim 17-or 18 comprising platinum at a concentration that is between about 70 and about 85 atomic percent.
- 20. (Currently Amended) The catalyst of any one of claims 1-19 claim 1 consisting essentially of platinum, titanium and tungsten.
- 21. (Currently Amended) The catalyst of any one of claims 1-19 claim 1 wherein the catalyst comprises an alloy of platinum, titanium and tungsten.
- 22. (Currently Amended) The catalyst of any one of claims 1-19 <u>claim 1</u> wherein the catalyst consists essentially of an alloy of platinum, titanium and tungsten.
- 23. (Currently Amended) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of one of claims 1-22 claim 1 and electrically conductive support particles upon which the catalyst is dispersed.

Claims 24-41. (Deleted)

- 42. (New) The catalyst of claim 2 wherein the concentration of platinum is no greater than about 50 atomic percent.
- 43. (New) The catalyst of claim 2 wherein the titanium concentration is no greater than about 80 atomic percent.
- 44. (New) The catalyst of claim 2 wherein the tungsten concentration is no greater than about 80 atomic percent.
- 45. (New) The catalyst of claim 2 consisting essentially of platinum, titanium and tungsten.

- 46. (New) The catalyst of claim 2 wherein the catalyst comprises an alloy of platinum, titanium and tungsten.
- 47. (New) The catalyst of claim 2 wherein the catalyst consists essentially of an alloy of platinum, titanium and tungsten.
- 48. (New) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 2 and electrically conductive support particles upon which the catalyst is dispersed.
- 49. (New) The catalyst of claim 3 wherein the concentration of platinum is no greater than about 50 atomic percent.
- 50. (New) The catalyst of claim 3 wherein the titanium concentration is no greater than about 80 atomic percent.
- 51. (New) The catalyst of claim 3 wherein the tungsten concentration is no greater than about 80 atomic percent.
- 52. (New) The catalyst of claim 3 consisting essentially of platinum, titanium and tungsten.
- 53. (New) The catalyst of claim 3 wherein the catalyst comprises an alloy of platinum, titanium and tungsten.
- 54. (New) The catalyst of claim 3 wherein the catalyst consists essentially of an alloy of platinum, titanium and tungsten.
- 55. (New) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 3 and electrically conductive support particles upon which the catalyst is dispersed.

- 56. (New) The catalyst of claim 17 consisting essentially of platinum, titanium and tungsten.
- 57. (New) The catalyst of claim 17 wherein the catalyst comprises an alloy of platinum, titanium and tungsten.
- 58. (New) The catalyst of claim 17 wherein the catalyst consists essentially of an alloy of platinum, titanium and tungsten.
- 59. (New) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 17 and electrically conductive support particles upon which the catalyst is dispersed.
- 60. (New) The catalyst of claim 18 comprising platinum at a concentration that is between about 70 and about 85 atomic percent.
- 61. (New) The catalyst of claim 18 consisting essentially of platinum, titanium and tungsten.
- 62. (New) The catalyst of claim 18 wherein the catalyst comprises an alloy of platinum, titanium and tungsten.
- 63. (New) The catalyst of claim 18 wherein the catalyst consists essentially of an alloy of platinum, titanium and tungsten.
- 64. (New) A supported electrocatalyst powder for use in electrochemical reactor devices, the supported electrocatalyst powder comprising the catalyst of claim 2 and electrically conductive support particles upon which the catalyst is dispersed.